

SPM Flex Chemcassette[®] Tape-Based Gas Detector

Honeywell



Improving safety and productivity with the most flexible, user-friendly tape-based gas detector for low-level toxics

SPM Flex Gas Detector



In your high-tech operation, where disruptions can cost millions of pounds, do you have the right tape-based detector for your toxic gas monitoring system?

Do you have the gas intelligence you need to ensure life safety, regulatory compliance and operational uptime?

Whether you're responding to an emergency, investigating a suspected leak or performing routine tool maintenance, you can count on Honeywell Analytics' SPM Flex for unmatched accuracy, intuitive operation and flexible integration — even in challenging environments.

Extreme Accuracy for Extreme Gases

The SPM Flex, the next evolution of our SPM and TLD gas detectors with Chemcassette[®] tape technology, is capable of working as both a fixed and a portable unit. The monitor detects the ultrasensitive gases inherent in your operations, including hydrides, mineral acids and amines.

Our Chemcassette[®] tape technology shows the presence of gas quickly and definitively with a physical record. So, you can prevent costly downtime from false alarms.

Advanced capabilities — no expertise required

Your workers may not use the SPM Flex every day, but when they need it, they'll be able to operate it with confidence. That's because this single-point monitor is intuitive, easy to use, and designed to fit the unique needs of semiconductor fabrication plants, cleanrooms and other high-tech environments.

Multiple uses

The SPM Flex provides accurate, user-friendly monitoring of low-level toxic gases for:



- Emergency response
- Life safety
- Tool maintenance

SPM Flex: Ready when you are.

*Quick start. Easy to use.
Flexible application.*

- **Easy to choose the target gas.** Want to monitor for a certain gas? Just turn on the SPM Flex, snap in the proper Chemcassette[®] tape, and use the intuitive LCD menu to select from the list. Need to monitor for a gas in a different family? Just remove the Chemcassette[®] tape for the correct gas family and choose the new gas. No ChemKeys™ required.
- **Quick start-up for emergency response.** The SPM Flex is ready to go in under two minutes—so your response team can quickly get set and go to the site.
- **Easy to use with protective equipment or hazmat gear.** At around 4.5 kg, the SPM Flex is easy to carry, operate and read—even when you're wearing a hazmat suit or other protective gear. The monitor has easy-to-use buttons. What's more, when you carry the SPM Flex, the display faces upward so it's easy to read.

SPM Flex Gas Detector



Rugged and reliable

The SPM Flex goes where you do, standing up to changes in temperature, moisture and contamination.



- **Legible at a distance.** Thanks to a crisp display and a colour-coded LED bar on top of the unit, you can see alarm status, gas concentration and other data — even from a distance. So even if you're not right next to your SPM Flex, you always know the safety of your area.
- **Remote viewing through the web.** You can also plug an Ethernet cable into the SPM Flex, and use the easy-to-read web interface to see the status of the unit—no matter where you are in the plant.
- **Flexible deployment.** The SPM Flex can be installed as both a fixed or a portable unit with the same base configuration, meaning you only have to train your users once. Need to investigate a leak closer? Just pull the unit off the wall and take it where it's needed.
- **Highly Configurable.** Need to change the low detection limit for a gas? Alter the parameters for latching alarms? Just adjust your settings with the intuitive menu—then use the USB port to download and transfer them to other units. So it's a piece of cake to deploy multiple monitors with a consistent configuration.
- **Data logging for total confidence.** With the SPM Flex, you can rest assured that every monitoring moment is being recorded—and ready for analysis whenever you need it. The monitor keeps up to a three-month history of gas concentrations, alarms, tape changes and other factors. In addition, you can view the data through a web server or easily download it to a USB drive.

Upgrade to a new standard of ease, flexibility and gas intelligence

With the SPM Flex, it's never been easier to keep your people safe and your operations running. Plus, the device has easy-to-service parts and a reliable battery, so you can count on long-lasting use—and an affordable cost of ownership.

Contact us at gasdetection@honeywell.com to experience the next generation of gas detection.

Honeywell Analytics Gas Detection



Honeywell Analytics is able to provide gas detection solutions to meet the requirements of all applications and industries. Contact us in the following ways:

Headquarters

Europe, Middle East, Africa, India

Life Safety Distribution AG

Javastrasse 2

8604 Hegnau

Switzerland

Tel: +41 (0)44 943 4300

Fax: +41 (0)44 943 4398

gasdetection@honeywell.com

Customer Service:

Tel: +800 333 222 44 (Freephone number)

Tel: +41 44 943 4380 (Alternative number)

Fax: +800 333 222 55

Middle East Tel: +971 4 450 5800 (Fixed Gas Detection)

Middle East Tel: +971 4 450 5852 (Portable Gas Detection)

India Tel: +91 124 4752700

Americas

Honeywell Analytics Distribution Inc.

405 Barclay Blvd.

Lincolnshire, IL 60069

USA

Tel: +1 847 955 8200

Toll free: +1 800 538 0363

Fax: +1 847 955 8210

detectgas@honeywell.com

Asia Pacific

Honeywell Analytics

Asia Pacific

#701 Kolon Science Valley (1)

43 Digital-Ro 34-Gil, Guro-Gu

Seoul 152-729

Korea

Tel: +82 (0) 2 6909 0300

Fax: +82 (0) 2 2025 0388

analytics.ap@honeywell.com

Technical Support Centres

Honeywell Analytics Ltd.

4 Stinsford Road

Nuffield Industrial Estate

Poole, Dorset, BH17 0RZ

United Kingdom

Tel: +44 (0) 1202 645 544

Fax: +44 (0) 1202 645 555

Honeywell Analytics

ZAC Athélia 4 - 375 avenue du Mistral,

Bât B, Espace Mistral

13600 La Ciotat,

France

Tel: +33 (0) 4 42 98 17 75

Fax: +33 (0) 4 42 71 97 05

Honeywell Analytics

Elsenheimerstrasse 43

80687 München,

Germany

Tel: +49 89 791 92 20

Fax: +49 89 791 92 43

Honeywell Analytics

P.O. Box-45595

6th Street

Musaffah Industrial Area

Abu Dhabi

UAE

Tel: +971 2 554 6672

Fax: +971 2 554 6672

Honeywell International India Pvt. Ltd.

Sector 36, Pace City-II,

Gurgaon-122004

Haryana, India

Tel: +91 124 4752700

Fax: +91 124 4752750

EMEA: HAexpert@honeywell.com

US: ha.us.service@honeywell.com

AP: ha.ap.service@honeywell.com

www.honeywellanalytics.com

www.raesystems.com

Honeywell Analytics
Experts in Gas Detection

BWF
Technologies
by Honeywell

RAE
SYSTEMS
by Honeywell

Please Note:

While every effort has been made to ensure accuracy in this publication, no responsibility can be accepted for errors or omissions. Data may change, as well as legislation, and you are strongly advised to obtain copies of the most recently issued regulations, standards, and guidelines. This publication is not intended to form the basis of a contract.